


US EPA ARCHIVE DOCUMENT

<b>1. Incident Name</b>	<b>2. Date Prepared</b>	<b>3. Time Prepared</b>	<b>UNIT LOG ICS 214</b>	
Kalamazoo River/Enbridge Spill	05/18/2012	1720		
<b>4. Unit Name/Designators</b>	<b>5. Unit Leader</b>		<b>6. Operational Period :</b>	
SOTF Team #6	<b>Name:</b>	Dan Capone & Joe Victory (START/US EPA)	<b>From:</b>	05/18/2012 0850
	<b>Position:</b>	Operations Section Chief	<b>To:</b>	05/18/2012 1700
<b>7. Personnel Roster Assigned</b>				
<b><u>Name</u></b>	<b>ICS Position</b>	<b>DUTY CELL</b>		
Dan Capone	Operations Section Chief			
Joe Victory	Operations Section Chief			
Dan Zahner	Field Team Lead			
Kevin Johnson	SOTF#6			
<b>8. Activity Log</b>				
<b>Activity Area</b>	<b>MP 3.25 to 5.25</b>	<b>LAT</b>	<b>LAT</b>	
		<b>Various</b>	<b>Various</b>	
		(DD.MMMM)	(DD.MMMM)	
<b><u>OIL OBSERVED</u></b>	<b>EXTENT OF OIL IMPACTED AREA</b>	NA		
	<b>DENSITY OF OIL /SHEEN</b>	NA		
<b>Total Collection Points</b>	NA			
<b>Total Boom Deployed</b>	NA			
<b>Activity</b>	<p><b><u>START SOTF Team 6 Activity:</u></b></p> <p>SOTF#6 Kevin Johnson (START), Enbridge Team Lead Mike Reed, and Leica operator Amber McDougal performed poling at 42 locations in focus areas 3.25, 4.15, 4.30, 4.80, 4.90, and 5.25. A total of 1 location had an overall submerged oil category of heavy, 13 locations had an overall submerged oil category of moderate, and 26 locations had an overall submerged oil category of light. Two locations showed no signs of submerged oil.</p> <p>Generally, more moderate and light oil sheen was observed and less globs in the majority of locations reassessed.</p> <p>All locations SOTF #6 visited registered above the minimum temperature requirement of 60 degrees F. Observed temperatures ranged from 61.37 to 71.9 degrees F.</p> <p>Poling operations were not significantly impacted by weather or vegetation within focus areas. Shallow river conditions and vegetation did however impede boat navigation to a limited degree. SOTF#6 was able to successfully navigate to all tasked poling reassessment locations.</p>			

<b>Health and Safety Issues</b>	None
<b>Comments</b>	Observed size of oil globules was noticeably larger in poling locations within focus area 5.25 as compared to areas upstream (3.25 to 4.80).